


Remove Existing Soil Under Bioinfiltration Area Until Sand Layer Is Exposed And Bring Back To Grade With Minimum 12" Engineered Soil Of 70% Sand and 30% Compost Meeting Wisconsin DNR Technical Standard 1004

Remove Existing Soil In Forebay And Infiltration Basin Until Sand Layer Is Exposed And Bring Back To Grade With Minimum 12" Engineered Soil Of 70% Sand and 30% Compost Meeting Wisconsin DNR Technical Standard 1004



MATCHLINE REFER TO SHEET C-4.01



**ERIKSSON  
ENGINEERING  
ASSOCIATES, LTD.**

229 E WISCONSIN AVE, STE. 1102  
MILWAUKEE, WISCONSIN 53202  
PHONE: (414) 249-6108  
EMAIL: INFO@EEA-LTD.COM

**RED HAWK APARTMENTS**  
**N PARKVIEW DRIVE & BLANCHE DRIVE**  
**MILTON, WI 53563**

Reserved for Seal:



No.	Date	Description
08.01.19		Owner Review
08.09.19		Progress Set
09.10.19		Coordination Set
09.16.19		Issued for Permit Set
10.04.19		Reissued for Permit Set
10.15.19		Issued for Plan Commission

© ERIKSSON ENGINEERING ASSOCIATES, LTD., 2019  
ALL RIGHTS RESERVED. THIS PLAN IS THE PROPERTY OF ERIKSSON ENGINEERING ASSOCIATES, LTD. NO REPRODUCTION OR USE OF ANY PART OF THIS PLAN IS PERMITTED WITHOUT THE WRITTEN CONSENT OF ERIKSSON ENGINEERING ASSOCIATES, LTD.

Design By: TOB Approved By: TOB Date: 10.15.19

Sheet Title:  
**GRADING AND  
PAVING PLAN -  
EAST**

Sheet No:  
**C-4.02**

EEA - P:\Tm\Worm Jerabek Wiltse Architects - Red Hawk Apartments of Milton\Drawings\Red Hawk Site Plan.dwg  
Plotted: 10/07/19 @ 3:21pm By: tbrown